



**Volume 5 No: 22 (2020)**

**Biomass-Based Innovations in Demand Driven  
Research and Development Projects in Africa**

**Jatta Raymond, Kwamong Nana Afranaa, Bertrand Nero & Benjamin Abugri**

**April 2020**



## Citation

Jatta R., Nana Afranaa K., Nero B., and Abugri B. (2020). Biomass-based innovations in Demand Driven Research and Development Projects in Africa. FARA Research Report 5(13): Pp 37

## Corresponding Author

Dr. Raymond Jatta ([raymondjatta1@gmail.com](mailto:raymondjatta1@gmail.com))

*FARA encourages fair use of this material. Proper citation is requested*

## Forum for Agricultural Research in Africa (FARA)

12 Anmeda Street, Roman Ridge PMB CT 173, Accra, Ghana Tel: +233 302 772823 / 302 779421

Fax: +233 302 773676 Email: [info@faraafrica.org](mailto:info@faraafrica.org) Website: [www.faraafrica.org](http://www.faraafrica.org)

## Editorials

Dr. Fatunbi A.O. ([ofatunbi@faraafrica.org](mailto:ofatunbi@faraafrica.org))

## ISSN: 2550-3359

### About FARA

The Forum for Agricultural Research in Africa (FARA) is the apex continental organisation responsible for coordinating and advocating for agricultural research-for-development. (AR4D). It serves as the entry point for agricultural research initiatives designed to have a continental reach or a sub-continental reach spanning more than one sub-region.

FARA serves as the technical arm of the African Union Commission (AUC) on matters concerning agricultural science, technology and innovation. FARA has provided a continental forum for stakeholders in AR4D to shape the vision and agenda for the sub-sector and to mobilise themselves to respond to key continent-wide development frameworks, notably the Comprehensive Africa Agriculture Development Programme (CAADP).

**FARA's vision is;** "Reduced poverty in Africa as a result of sustainable broad-based agricultural growth and improved livelihoods, particularly of smallholder and pastoral enterprises" its **mission is the** "Creation of broad-based improvements in agricultural productivity, competitiveness and markets by strengthening the capacity for agricultural innovation at the continental-level"; its **Value Proposition is the** "Strengthening Africa's capacity for innovation and transformation by visioning its strategic direction, integrating its capacities for change and creating an enabling policy environment for implementation". FARA's strategic direction is derived from and aligned to the Science Agenda for Agriculture in Africa (S3A), which is in turn designed to support the realization of the CAADP vision.

### About FARA Research Result (FRR)

FARA Research Report (FRR) is an online organ of the Forum for Agricultural Research in Africa (FARA). It aims to promote access to information generated from research activities, commissioned studies or other intellectual inquiry that are not structured to yield journal articles. The outputs could be preliminary in most cases and in other instances final. The papers are only published after FARA secretariat internal review and adjudgment as suitable for the intellectual community consumption.

### Disclaimer

*"The opinions expressed in this publication are those of the authors. They do not purport to reflect the opinions or views of FARA or its members. The designations employed in this publication and the presentation of material therein do not imply the expression of any opinion whatsoever on the part of FARA concerning the legal status of any country, area or territory or of its authorities, or concerning the delimitation of its frontiers".*

**Abstract.**

The case for demand-driven research and development has received important considerations among governments, donors and programme implementing partners in development planning and implementation. Addressing demand is generally follows a bottom-up approach in designing appropriate response towards specific development outcomes. In this paper, we discuss the concept and application of demand driven research for development (DDRD) in Africa. We use evidence from six projects that are implemented under the BiomassWeb Project in Africa. We focus on variables that defines stakeholder's engagement, especially stakeholders that are on the demand side for technologies; the processes for demand articulation; capacity building, implementation processes, innovativeness of the project, reporting and sustainability of the project. We find that the nature of the institutions involved in demand articulation and implementation of research action influenced the outcome of the project. The quality of partnership that was developed also contributed significantly to the final impact of the project.

**Acknowledgments:**

This article presents three demand driven research projects implemented in Ghana within the BiomassWeb project which was coordinated by Forum for Agricultural Research in Africa (FARA), Ghana and the Center for Development Research (ZEF), Germany. We acknowledge the financial support from the German Federal Ministry of Education and Research (BMBF) and the German Federal Ministry of Economic Cooperation and Development (BMZ). We also acknowledge support for all our project partners.

## Introduction

There is an increasing recognition of the challenge that African agriculture faces - of grow more food to feed its fast growing and urbanizing population in situations of greater uncertainty because of climate change and global trade. Today, productivity (i.e. cereal yields) is estimated at 1.6 tons/ha in Africa, compared to 6.6tons/ha in Europe and 3.9 tons/ha globally. The imperative is to deepen the application of science, technology and innovation in all agricultural processes. The ability of science to lead to agricultural transformation depends to a considerable extent on what science is to be applied and for which constituency. This has a bearing on the use of research evidence, policy action, adoption rates as well as sustainable of project and programme outcomes. This brings to the fore the concept and application of Demand-driven Research and Development (DDRDR). The argument of demand- driven research is based on a realization that when research is close to the needs of the end users, it can easily be adapted, adopted and used . Demand-driven and locally-driven national agricultural research system are believed to better supports overall institutional capacities, linkages among partners in the sector as well as sustainability of outcomes. However, the inadequate funding to research often means that donors are the main drivers of research in Africa. Service delivery therefore remain largely supply-driven and organizations fail to effectively contribute to the real goal of providing more efficient and effective quality services for farmers to enhance rural development. These arguments are also similar to that of demand driven development programmes promoted by donor and development partners. For example, World Bank's lending to demand-driven project was estimated to rise from \$325 million in 1996 to \$2 billion in 2003. Demand driven interventions are regarded as a mechanism for enhancing sustainability, making development more inclusive and empowering end users. However, demand-driven intervention in some areas also suffer from challenges of elite capture, misapplication of funds, low capacity etc. These issues are applicable to research funding much as they are to mainstream development interventions. This study is significant to the extent that it shows that the processes for demand articulation, the stakeholders involved in the process (articulation and implementation) and their linkages to end users are important in ensuring impact and sustainability of the project outcomes.

In 2016, the Forum for Agricultural Research in Africa and the Centre for Development Research initiated Demand Driven Research and Development under the Biomass Web Project. The demand driven research was to provide an opportunity for partner organizations within the

BiomassWeb project to carry out further research and development activities to reinforce the possible outcomes of on-going BiomassWeb activities, and in addition to use the knowledge gained to improve the livelihoods of the people. The DDRD activity aimed to increase stakeholders' participation and contribute to research and development activities of BiomassWeb project. The DDRD activities must be driven by need or demand from potential beneficiaries. Grants were provided to successful partner organizations. Based on evidence on demand, innovativeness, ease of adoption and potential impact, Forum for agricultural research in Africa (FARA) and Center for Development Research (ZEF) shortlisted thirteen projects. The thirteen shortlisted projects were then submitted to external evaluators for their review. Following the external evaluators' review and recommendations, six proposals were selected for funding (see Table 1). Using evidence on the emerging results of six projects implemented in Ghana, Nigeria and Ethiopia, this paper examines the following questions.

1. Are demand driven project easily adoptable or unscaled?
2. Does the implementation of demand-driven projects necessarily ensure higher impact and sustainability of outcomes?

**Table 1. Selected demand driven research for development (DDR) sub projects under the BiomassWeb project.**

<b>Applicant affiliation</b>	<b>Title of the project</b>	<b>Country</b>	<b>Crop</b>
Ministry of Food and Agriculture, Accra, Ghana	Using cassava peels for mushroom cultivation	Ghana	cassava
Council for Scientific and Industrial Research (CSIR) Food Research Institute, Accra, Ghana	Developing biomass-based value chain of plantain and reduce post-harvest losses of plantain through the development of value added products for small scale farmers and processors in two regions in Ghana	Ghana	plantain
Department of Agroforestry, Kwame Nkrumah University of Science and Technology, Kumasi, Ghana	Exploring the potential of bamboo leave fodder for livestock production in Ghana	Ghana	Bamboo
Department of Agricultural and Environmental Engineering, University of Ibadan, Nigeria	Production of bioplastics and bio-gels from agricultural waste to promote their Biomassweb values	Nigeria	cassava, maize, banana
Department of Agricultural and Environmental Engineering, Federal University of Technology, Akure, Ondo State, Nigeria	Mass and energy balance analysis of pneumatic dryers for cassava and development of optimization models to increase competitiveness	Nigeria	cassava
YOM Institute of Economic Development, Ethiopia	Exploring potentials of the bamboo sector for employment and food security in Ethiopia: An institutional analysis of bamboo-based value web	Ethiopia	bamboo

## Materials and Methods


One highly acclaimed Forum for Agricultural Research in Africa (FARA) product is “FARA bio-economy innovation-to-impact framework” for developing, testing and refining models for generation, uptake, out scaling and commercialization of innovations [3]. The key selling point is about ensuring technology adaption for increased livelihood outcomes through the use of multi-stakeholder innovation platforms for articulation of demand-driven research and for technology development and outreach.

To answer the questions indicated above, our analysis is guided by the framework described below (Fig. 1). We review the DDRDs based on FARA’s Innovation to Impact model. To operationalize the model our framework is built on three key parameters:

- Partner engagement in project design
- Quality of the research results/outputs

Sustainability of project outcomes the use of these parameters allowed us to assess the quality of the deliverables and engagement of partners at each of the project processes from identification of the project activities to communication of research outputs. Under partner engagement, we consider the type of partner e.g., research institutions, NGOs’ and the kind of partnership arrangement and funding mechanism. Also, who or which institution is demanding the research and whose demand is the project responding to? E.g. research need, community need, industry need, environmental need, etc.-. The process of implementation and the level of participation of different stakeholders especially women is also assessed. The DDRD projects are evaluated based on the demand for the project to address specific socio-economic and environmental challenges through the innovative use of biomass to generate and develop bio-based services and products. The results of the DDRD projects are to be easily up scaled, adapted, adopted and used. Communication of research output/outcomes and capacity building of actors is considered key to ensure adoption, upscaling and sustain





**Figure 1: Analytical Framework**

For this study, we use qualitative methodology for the data collection and analysis.

Project documents and reports on six implemented DDRD projects were reviewed and content analyzed. We focused on the parameters described in the conceptual framework. This included the partner engagement, demand for project, project goal, implementation process, innovativeness of the project, sustainability and scalability of project, project end-users, capacity building, delivery and adoption of innovative technologies. Focus group discussions and personal interviews were conducted with some of the project beneficiaries. Also key informant interviews were conducted with project managers and principal researchers of the BiomassWeb DDRD projects.

## **Results**

The following sections provides information on the innovation processes in each of the three projects and the relation between end-users and researchers in the generation and adoption of new technologies; in addressing postharvest losses of plantain, innovative use of cassava biomass for the production of mushroom and use of bamboo biomass for feeding livestock. Discussions are centered on BiomassWeb DDRD project planning, innovations in the use of biomass, capacity building/demonstrations, delivery and adoption of innovative technologies.

### **Using cassava peels for mushroom production**


#### **Demand Driven Research Planning**

The goal of the project was to use cassava peels which are waste, generated in the production of Gari/cassava chips, as substrate to produce mushroom to generate income, improve household nutrition security and minimize environmental degradation. Three major actors are involved in this Demand Driven Research and Development (DDRD) project. The funder – Forum for Agricultural Research in Africa (FARA/BiomassWeb project) and Centre for Development Research (ZEF), the facilitators / implementers (Women in Agricultural Development), and the beneficiaries (extension agents, and farm families of Gomoa). A key observation to note in this DDRD is the fact that the innovation was generated by the researchers (or facilitators/implementers) and supplied or transferred to the local community with funding from the development partner. In this case the donor agency (FARA/ZEF) demands the knowledge and innovation on behalf of the end-users and goes a step further to demand the empowerment of these end-users. Local farm families and the youth of Gomoa were trained on cassava peel composting, bagging the substrates, inoculating substrate/growing mushrooms, harvesting the matured mushrooms, drying and packaging for the market, as well as the marketing of either the mushrooms or the substrate. A mushroom house was constructed near a major Gari processing centre where cassava peels had accumulated and polluted the environment.

### **Innovation in the use of biomass**

The idea and know-how to convert cassava peel waste into income generating opportunity and improve environmental quality was the innovative contribution of this DDRD. To operationalize the idea, cassava peels was composted and subsequently used as substrate for the cultivation of mushrooms. Mushroom is an important food in diet of Ghanaians. It is a valuable source of high-quality proteins (21-40%) dry weight, vitamins (B1, B2, B6, B12, C, and D) and rich in vitamins [14, 15, and 13]. Both the substrate and the mushroom produced could be sold for money. This could be sufficient to keep farm families and the youth in business assuming there is ready market and the substrate as well as mushrooms are produced in large quantities. Through this intervention, the area is cleared of filth and the air cleansed of the stench that would have been produced as a result of the decomposing cassava peel waste. Figure 2 shows the framework for converting cassava peels, which is a by-product or waste from the Gari/cassava chips processing activity, into a substrate for mushroom production, and the waste substrate used as manure for crop production. The peels can also be used to feed livestock.

The flowchart (**Figure2**) illustrating conversion of cassava peel waste into substrate for mushroom cultivation and manure for agricultural production. Cassava peel waste also serves as livestock feed.



**Fig 2: Cassava BiomassWeb**

**Capacity building**

For this project, about thirty (30) local women from a gari/cassava chips processing group and the youth of Gomoa community were trained on how to undertake mushroom cultivation. The training covered compost preparation leading to the generation of substrate, bagging, inoculation with spores (seed), and incubation and harvesting of the mushroom. A mushroom house was constructed, and a solar dryer provided. According to the project managers there was the need to construct a structure for the mushroom production to be able to control the temperature which should not exceed 30 degrees Celsius and keep the room humid. This is consistent with other studies that have found an increase in temperature of 40-60 degree Celsius likely to kill the mycelium in less than 24 hours. Trainees were also trained on how and where to market mushrooms. Since mushroom is currently produced on a small scale, the local markets and interested individual mushroom consumers were the main market options explored.

Training was conducted by a consultant who was hired by the implementers Women in Agricultural Development (WIAD).

### **Delivery of the project and adoption**

The concept of converting cassava peel waste to mushrooms for food and income is theoretically easy to adopt. Interactions with participants who were trained revealed they had understood how the concept is operationalized. However, many had the notion that a mushroom house is needed to operationalize this innovation. In which case, they felt financially handicapped to truly benefit from this innovation. To ensure the sustainability of the innovation, there should be 1) small-scale production of substrate from cassava peels using simple home-based materials and subsequently following up with the rest of the processes, and 2) private sector investments in constructing a mushroom house for the mass production of substrate for sale to small-scale mushroom producers.

### **Development of plantain biomass into composite flour for traditional foods and bakery products**

#### **Demand Driven Research Planning**

Researchers from the Food Research Institute of the Centre for Scientific and Industrial Research (CSIR-FRI) Ghana, identified the need for this project in response to high postharvest losses of plantain and the need to convert plantain biomass into composite flour which could substitute wheat in the production of local foods and provide highly nutritious foods. Local food processors were trained in plantain processing technologies of converting plantain into composite flour for various traditional foods such as plantain fufu and value-added products for making of bakery products such as plantain chips, cakes, pies, bread and doughnuts.

### Innovation in the use of biomass

Plantain is highly nutritious, provide rich dietary energy, and contains micronutrients such as carotenes, ascorbic acid, as well as minerals such as iron, potassium, zinc, calcium, and phosphorus.

Addition of plantain to traditional foods will provide good quality diets. Processing plantain into composite flour during plantain peak season when it is readily available on the market and prices are moderate will help reduce postharvest losses which is estimated at 20% at production level and 15% at consumption level [4]. The composite flour can be stored for up to a year, hence can serve as a convenient raw material for making bakery products. The composite flour can serve as a substitute for wheat flour which is a major import commodity in Ghana. Currently Ghana imports about 700,000MT of wheat annually which leaves a hefty bill for government. Usage of plantain composite flour in bakery products will reduce importation of wheat flour. The plantain peels can serve as food for feeding livestock and as raw material for local soap industries (Fig 3).




Fig 3 plantain biomass value web

### **Capacity building**

About 117 local food processors were trained in converting plantain into composite flour and adding value to plantain products and developing better market linkages for plantain products. The technology is easy to adopt as it involved locally sourced materials and processing was by stages of boiling, drying and milling which could be easily performed at home. It doesn't require a huge start-up capital hence can be started on a small-scale. For this project, initial start-up package for the beneficiaries to encourage uptake of the technology was 1kg of composite supplied to each beneficiary. Adoption of new technologies is likely to occur when individuals perceive some relevant advantage over an existing innovation or status quo, and such an innovation is compatible with existing practices and not too complex as well as offering observable results. Beneficiaries reported uptake of the technology to have resulted in higher incomes as the addition of the plantain flour increased volumes of products and thereby increased their profits. Also, created jobs for some women who otherwise had no source of income. It was not immediately apparent what the level of adoption of the plantain value addition techniques and marketing strategies acquired from the CSIR-FRI team is. It appears too soon to notice measurable levels of adoption of the techniques. Adoption happens over time depending on the individual's decision to take up innovation, and the availability of resources, which in this case is seasonal with peak and minor seasons.

### **Delivery of the project and adoption**

Widespread adoption and production of plantain composite flour is however hindered by the lack of access to milling machines and mechanized or solar dryer units to commercialize production. Current production level is on small-scale using corn milling machines and sun-drying which is challenged during rainy season. Innovative ways to assist in increasing adoption of the technology and commercializing the plantain composite flour production is therefore essential. This has to do with addressing the underlying challenge of acquiring milling machinery purposely for processing plantain into composite flour. Also, providing solar or mechanical drying units for efficiently drying the flour especially during the raining season which is also the peak season for plantain production. The beneficiaries can be organized into groups

to mobilize funds for the purchase of milling machine and mechanical or solar drying unit. The group could go into commercial plantain flour production which members could purchase for their bakery production or food preparations. A private investor could also profit greatly by introducing milling machines and a solar dryer in the peak plantain growing areas. These aside, some easy to adopt strategies such as plantain chips production are already being utilized widely in major urban centers across the country.

### **Bamboo leaf as fodder for livestock production**

#### **Demand Driven Research Planning**


The idea of introducing bamboo as an alternative fodder for livestock feeding was developed by the International Rattan and Bamboo Network, with financial support from FARA and ZEF within the BiomassWeb project. Livestock production in Ghana is limited by access to sustainable feed supply especially during the dry season. The evergreen nature of bamboo and its high nutritive content makes it an ideal fodder especially during the dry season when tree leaves and grasses dry up and swept through by bushfires. The International Network for Bamboo and Rattan (INBAR) piloted a bamboo-based agroforestry model in the dry semi-deciduous zone of Ghana to promote the integration of bamboo into indigenous cropping systems to meet socioeconomic needs and provide fodder for livestock. Experimental bamboo feeding trials was set up to explore the consumption patterns and digestibility of bamboo fodder and evaluate growth and health of livestock fed with bamboo leaves either as sole feed or feed supplement.

#### **Innovation in the use of biomass**

In Ghana, bamboo use as fodder is largely unknown. There is not enough awareness of bamboo utilization as fodder throughout Ghana. Partey et al. report 26% awareness on use of bamboo leaves as fodder. However, the evergreen nature of bamboo and its high nutritive content -i.e. rich crude protein (9 – 19%) and low in crude fibre (18-34%) – makes it an ideal fodder



especially during the dry season when tree leaves, and grasses dry up and swept through by fire. Successful introduction of bamboo as an alternative feed stock will ensure that livestock have fresh fodder all year round thereby encouraging livestock production, the bamboo stems will provide fuelwood, while the young regenerated shoots can be consumed as food. Bamboo can also be used in alley cropping systems to boost food production while at the same time stabilizing the soils and minimizing environmental impacts including mitigation and adaptation to climate change (Fig 4). INBAR has introduced two bamboo species from India (*Bambusa balcooa* or beamer bamboo) and Ethiopia (*Oxythenanthera abyssinica*). Both species are drought and fire tolerant. Fire and droughts are typical of the forest-savannah transition belt and the savannah zone of Ghana.



**Figure 4. Bamboo agroforestry and bamboo fodder for livestock production**

### **Experimental Set-up**

The bamboo feeding trial experiment was set as a completely randomized design experiment with two replications. Plant fodder for goats was the main treatment and consisted of three feed types 1) Bamboo leaves, 2) Grass – sugar cane grass or *Saccharum* spp, 3) Leaves of *Millittia* species and *Gmelina arborea*. Six goats are used in the experiment with two assigned to each of

the fodder types above. The data was collected on weekly weights of goats, faecal matter, urine and blood samples. The study revealed that bamboo is acceptable to the sheep and were completely consumed when offered ad libitum and therefore using it as feed supplement can increase feed intake of the basal diets by 40% and increase the weight of sheep by 2.31kg. The Bamboo crude protein (CP) of 124g/kg; ash – 80g/kg ; neutral detergent fibre (NDF) – 464g/kg compares well with cowpea haulm, a leguminous haulm, with a CP, ash, NDF and gas production (GP) of 124 – 268; 89; 419g/kg respectively except the gas production (GP) which is 2 times lower than cowpea haulm [18]. The study however finds that the bamboo used as supplement recorded a reduction in the blood parameters measured at the end of the experiment, the RBC (5.8-8.0 L-1), total protein (63-70 g dL-1) and Albumin (23-28 g dL-1) compared well RBC (6.4-9.9 L-1), total protein (63-71g dL-1) when sheep were fed with sorghum Stover and dried poultry droppings except the albumin which was 1.5 times lower than those reported by the researchers . Despite the comparably higher CP, GP, ash and the positive influence on growth performance, bamboo should be fed alongside with leguminous forages in an attempt to meet the energy-protein requirement of the animals and also improve the health status of the animals through the supply of the minerals and protein.

### **Delivery of the project and adoption**

For bamboo leaves to be adopted and used as fodder by local subsistence and commercial livestock farmers, there is the need for massive awareness creation and public education at the grassroots level where the need for such fodder will be most required. Key to this process will be the sustainable availability of the bamboo resources. INBAR has undertaken efforts to ensure sufficient bamboo material is available for the provisioning of leaves as fodder by establishing bamboo plantations in selected communities. There are plans to expand the bamboo plantation cover in the country. Hence, there is significant promise that sufficient bamboo fodder will be made available for large scale livestock production in the future. So far more than 50% of farmers in bamboo growing areas in Ghana have demonstrated their willingness accept bamboo as a livestock feed. The bamboo fodder should however be supplemented by a leguminous fodder to supply both energy, protein and minerals for the

animals to meet their nutrient requirement.

## **Production of bioplastics and bio-gels from agricultural waste to promote their BiomassWeb values**

### **Demand Driven Research Planning**


The project idea was conceptualized through collaborative effort by researchers from different institutions both national and international to address the challenge of environmental pollution from plastic waste in Africa using waste from agricultural products such as cassava, banana, and maize to produce bio-gels and bio-plastics that are biodegradable. The institutions involved in the demand driven research are the Federal Institute of Industrial Research Oshodi (FIIRO), International Institute for Tropical Agriculture (IITA), and University of Ibadan. The collaboration among the institutions ensured that different partners pursued various aspect of the research and analysis. Funding for the research was provided by Forum for Agricultural Research in Africa (FARA) and Centre for Development Research (ZEF) under the BiomassWeb project.

### **Innovation in the use of biomass**

Plastic waste disposal is a huge environmental burden in Africa and the world polluting land, water and air. Plastics made from synthetic polymer from crude oil cannot be readily degrade naturally by microbes in the soil except by pyrolysis [19]. The alternative to synthetic plastic is bio-degradable plastics which is degradable by microorganisms and enzymes such as bacteria, algae and fungi. Such biodegradable plastics can reduce plastic waste in the environment. The research team in this DDRD project explored the use of various agricultural waste products to develop biodegradable plastics and biofuels (Fig.5).

The research team was successful in developing a protocol for the production of bioplastics from starches obtained from cassava peels, acetic acid and glycerol (200:20:10) to form a good bioplastic resin. The bioplastics produced are highly degradable. Degradation of the bio- The

research team was successful in developing a protocol to produce bioplastics from starches obtained from cassava peels, acetic acid and glycerol (200:20:10) to form a good bioplastic resin. The bioplastics produced are highly degradable.



**Figure 5. The flowchart illustrating conversion of cassava waste into production bioplastics, bio-ethanol and bio-gels**

### **Capacity building**

The research team presented their research findings at scientific conferences and workshops to disseminate research findings. A project dissemination workshop was organized to inform policy makers, manufacturers from the plastic industry and other researchers of the novel findings of the study. Two masters' students from the University of Ibadan were involved in the research study and trained on performing the experimental setup.

### **Delivery of the project and adoption / upscaling**

The research findings show evidence of the potential of using waste from agricultural products to address environment pollution. Scaling up bioplastic production will first need an economic

feasibility of such production using a pilot scale. Such study will give real life situation before commercial production. In case of ethanol gel, plants utilizing starch crop like maize, cassava and cellulose for ethanol are already in existence, however, most of them are large scale. There is need to set-up micro/small scale plants for bio-gel production to ensure lower cost of production and even distribution at affordable price.

### **Mass and energy balance analysis of pneumatic dryers for cassava and development of optimization models to increase competitiveness**

#### **Demand Driven Research Planning for Pneumatic Dryer**

This DDRD project implemented by Federal University of Technology Akure (FUTA) addressed the inefficiencies in locally manufactured pneumatic flash dryer for processing of cassava into High Quality Cassava Flour (HQCF), and further identified new ways to improve drying performance of the dryers. The project had the objectives of evaluating the performance of pneumatic flash dryer models operated by cassava processors in Nigeria using mass and energy balance analysis, and further modify the flash dryer models to improve the drying efficiency and to develop a detailed engineering design of an efficient flash dryer model. The research team was composed of researchers from FUTA, Federal Institute of Industrial Research Oshodi (FIIRO), International Institute of Tropical Agriculture (IITA), and Kwara State University Ilorin who collaboratively embarked on the study to provide a solution to the inefficiencies in existing dryers for local manufacturers. Funding for the research was provided by Forum for Agricultural Research in Africa (FARA) and Centre for Development Research (ZEF) under the BiomassWeb project.

#### **Innovation in the project**

The research team evaluated four design models of pneumatic flash dryers based on energy efficiency, specific heat consumption, thermal efficiency, heat losses to the ambient and heat losses via air outlets. The results of the study showed that existing models had a combination of both efficient and inefficient component parts which results in heat loss and low heat energy

utilization. The inefficiencies identified on the existing dryers included the absence of insulation on the drying duct which facilitated greater loss, absence of feeder on some of the flash dryer models, improper design of the multiple cyclone which affect proper separation of product from the exhaust air and absence of heat control system on the burners.

An improved engineering design of pneumatic flash dryer was designed by the researchers to regulate the heat loss and improve on the quality of HQCF produced. The modification included the introduction of insulation for reduction of heat losses, instrumentation circuit diagram for heat control system, and an efficient two passes heat exchanger system for maximum heat utilization. A prototype model design of the improved pneumatic flash dryer was developed and fabricated by the research team.

### **Capacity building**

Dissemination and training workshop were organized by the research team to disseminate information on the improved efficient pneumatic flash dryer for processing of High Quality Cassava Flour (HQCF). Fifty fabricators and engineers from South-West Nigeria participated in the workshop. Participants at the workshop were informed of the improved model design and the needed improvement on the existing dryers to improve drying efficiency.

### **Delivery of the project and adoption / upscaling**

To transfer the knowledge on manufacturing efficient pneumatic flash dryers to equipment manufacturers, trainings in the development of detailed engineering design and fabrication of the prototype improved flash dryer needs to be done. The trainings should include conduction of hands-on practical session for manufacturers on how to fabricate the improved pneumatic flash dryer model.

## **Exploring potentials of the bamboo sector for employment and food security in Ethiopia: An institutional analysis of bamboo-based value web**

### **Demand Driven Research Planning**

The idea for implementation of the DDRD project was conceptualized by researchers from the YOM institute of economic development, Ethiopia and the University of Hohenheim, Germany. The primary objective of the research project was to provide holistic insights into the current status and future potentials of the bamboo sector in Ethiopia in order to enhance sustainable livelihoods and employment generation. The researchers surveyed 468 households from two major bamboo growing regional states in Ethiopia – Amhara and Benishangul Gumuz. The research findings are to inform policy decision makers on the potential benefits of promoting the bamboo sector for socio-economic benefits. This research was researcher led, incorporating local people perceptions. The funding for the research study was provided by provided by Forum for Agricultural Research in Africa (FARA) and Centre for Development Research (ZEF) under the BiomassWeb project.

### **Innovation in the project**

Ethiopian rural households earn a significant part of their livelihood from natural resources mostly forest products. Bamboo is one of such natural resource which serves as a source of energy, fodder, food, construction material and handicrafts. Ethiopia's natural bamboo forest, the largest in the African continent, is estimated to be around one million hectares, of which 850,000 hectares are lowland and 350,000 hectares are highland bamboo varieties. Even though Bamboo has a significant benefit, the bamboo sector has received little attention and its potential contribution to the economy has been under exploited. This situation is similar to that of many African countries including Ghana which calls for the need creation of awareness among the local people and policy makers to promote the bamboo sector to enhance livelihoods and enhances sustainability of the environment. This DDRD research project was setup to contribute to this agenda. The findings from the stud revealed that poor rural families preferred to engage in bamboo production requiring few resources. Also, market prices of

bamboo culms significantly increase the probability of employment in bamboo sector, and the probability of the variation in the income from bamboo of rural households. Bamboo has the potential to ensure food security through provision of higher incomes and better food security of poor rural smallholder farmers. Further the rapid growth of bamboo and short growing cycle makes bamboo a suitable option as income source during food shortages.

### **Capacity building**

This research study findings seeks to create awareness on the potential benefit of the bamboo in addressing food security, creating employment which will lead to an increase in income and wellbeing in the livelihood of people in communities where bamboo grows.

### **Delivery of the project and adoption / upscaling**

To tap into the full potential of bamboo, a collective action of action of actor in the bamboo BiomassWeb is required. This includes the engagement of governments, NGOs, local farmers, processors and private sector. There is the need to create awareness on the diverse benefit of bamboo, improved methods of growing and extracting culms, and adoption of improved technologies.

### **Discussion**

Demand driven research process involves several actors and beneficiaries at each stage of the process, with the ultimate benefit of enhancing ownership and increasing applicability of research. Practical operationalization of demand driven research planning process is limited by the level of perspective of actors on the innovation and capacity to fully participate and operationalize the demand driven research [7]. For the case studies presented in this article, researchers identified the need for the innovation to address identified challenges and supplied or transferred knowledge and innovation to the end-users. The identification of the challenge was done through surveys, or consultations with the end-users. This was followed by developing proposals to source funds from funding agencies who prioritized the identified research area/ innovation as key to engendering development. Thus, the funding agency (FARA/ZEF) demands



the knowledge and innovation on behalf of the end-users.

In contrast, DDRD in the advanced economies are spearheaded by the end-user, in this respect the farmer. The end-users fundamentally identify a research problem, mobilize funds from among end-users, private enterprises/beneficiaries or the public sector (Government) to solve the problem and contracts a researcher or an agency to implement and/or solve the problem. End-users in this case have the opportunity to contribute knowledge and innovations into the DDRD, although more often the final outcome of the DDRD program does not adequately reflect end-users' (farmers) needs due to influence by several actors in the DDRD planning process [8]. This implies that even in the developed economies where DDRDs are end-user demanded in theory, in practice, the influence of other stakeholders in the planning compromise the power of end-users. Active participatory methods must be pursued if end-user power in DDRDs are to be greater priority.

Implementation was done together with the end-users through trainings, hands-on experiences, experimental set-up and surveys. For the innovation generated to be transferred, it should respond to the needs of the beneficiaries or end-users. As Rogers indicates, new innovations are likely to occur in response to economic opportunity or scarcity.

In the case studies presented in this paper (Table 2), the innovations in the use of biomass of plantain responded to reducing postharvest losses, substituting wheat, which is imported in the preparation of bakery products, and also creating jobs and increasing incomes. The use of drought tolerant and fire resistant bamboo biomass highlights the multiple uses of the bamboo in feeding livestock, especially in the dry season, inter-alley cropping to boost food production and stabilizing the soils used as fuelwoods because of its potential for energy recovery to be used as energy source compared to other woody biomass. The bamboo shoot served as a food source for locals. However, there is low awareness among end-users even though there is evidence of bamboo contributing to improving food security. This calls for the need to create awareness on the benefit of bamboo and to involve policy makers and other stakeholders in the bamboo value web. The innovation in the use of cassava biomass showed the conversion of cassava peels which are generated waste from cassava processing into substrate for cultivation of mushroom which were sold to raise income and included in household food.

**Table 2: Innovation in Demand Driven Research and Development Project and implementation Modalities**

<b>DDRD PROJECTS</b>	<b>Implementing Institutions</b>	<b>Planning and Scoping of Project. How was the Process Planned or Conceptualized?</b>	<b>Innovation in the use of biomass What is innovation about the process? Number of research products generated</b>	<b>Capacity building /Experimental setup. How was training experimental setup done?</b>	<b>Delivery of project and adoption. How was innovation uptake sustainability?</b>
Using cassava peels for mushroom production	Ministry of Food and Agriculture, Women in Agricultural Development, (WIAD) Ghana. WIAD is a department of the Ministry of Food and Agriculture. It has National, Regional and District offices across Ghana. It is very active at local level	Researchers identified innovation and facilitated implementation of process for end users (local women and youth)	Conversion of cassava peels which are waste from processing of cassava chips into substrate for production of mushroom to improve household food security, generate income, and minimize environmental degradation A manual on production of mushroom A video used in farmer training	Researchers trained beneficiaries on usage of innovative technology of using cassava peels in compost as a substrate for mushroom production. Constructing of low-cost building for mushroom with local materials.	Adoption low. A mushroom house needed to be constructed to operationalize this innovation, which comes as a cost. There is the need for more cost-effective approaches using a group-based approach with access to microfinance.
Development of plantain biomass into composite flour for traditional foods and bakery products	Centre for Scientific and Industrial Research – Food Research Institution (CSIR-FRI), Ghana. This is an institute of the National	Researchers identified need to process plantain into composite flour and trained local processors and women	Plantain processed into composite flour to reduce on postharvest losses and a potential substitute for wheat in bakery products. Seven knowledge	Researchers trained beneficiaries on converting plantain biomass into composite flour, adding value to plantain	Uptake of technology low. Hindered by the lack of access to milling machines and mechanized and solar dryer units. Locally fabricated milling machines

<b>DDRD PROJECTS</b>	<b>Implementing Institutions</b>	<b>Planning and Scoping of Project. How was the Process Planned or Conceptualized?</b>	<b>Innovation in the use of biomass What is innovation about the process? Number of research products generated</b>	<b>Capacity building /Experimental setup. How was training experimental setup done?</b>	<b>Delivery of project and adoption. How was innovation uptake sustainability?</b>
	Agricultural Research Institute. Its mandate is mainly of research. It works through other units (like WIAD) for technology outreach and adoption.	in use of the technology.	products were generated, three peer reviewed articles, manuals, posters	products, linkage to markets.	specifically for milling of plantain should be developed and also solar drying units. Processors could access and use the facility at a fee. WIAD could mobilize the women into groups to acquire and manage the milling and drying units
Bamboo leaf as fodder for livestock feeding	International Bamboo and Rattan Organization (INBAR), Ghana. INBAR is an Intergovernmental organization working in Agroforestry – focus on Bamboo and Rattan. Its regional office in West Africa	Researcher led survey and experimental set-up.	Drought tolerant and fire-resistant bamboo used for feeding livestock in the dry season; inter-alley cropping to boost food production and stabilizing the soils, used as fuelwood. A peer reviewed article, a study report.	Bamboo feeding trial experiment set as a completely randomized design experiment with two replications	Experimental trials show bamboo is a viable feed supplement for livestock feeding. Need to supplement bamboo feed by a leguminous fodder to supply both energy, protein and minerals for the animals to meet their nutrient requirement.

<b>DDRD PROJECTS</b>	<b>Implementing Institutions</b>	<b>Planning and Scoping of Project. How was the Process Planned or Conceptualized?</b>	<b>Innovation in the use of biomass What is innovation about the process? Number of research products generated</b>	<b>Capacity building /Experimental setup. How was training experimental setup done?</b>	<b>Delivery of project and adoption. How was innovation uptake sustainability?</b>
	is in Ghana. It works with research organizations, local NGOs and government at the frontline				There is the need for education and sensitization on the locals on uses of bamboo
Production of bioplastics and bio-gels from agricultural waste to promote their BiomassWeb values	Federal Institute of Industrial Research Oshodi (FIRO), International Institute for Tropical Agriculture (IITA), and University of Ibadan. All three institutions are located in Nigeria	Researchers responded to the need to address the challenge of environmental pollution from plastic waste in Africa using waste from agricultural products	Development of a protocol from cassava peel starch to produce bio-gel fuel and biodegradable plastic. Study reports and peer reviewed articles	Dissemination workshops to share findings with policy makers, manufacturers and researchers. Training of research scientist.	Scaling up bioplastic production will first need an economic feasibility of such production using a pilot scale. There is need to set-up micro/small scale plants for bio-gel production to ensure lower cost of production and even distribution at affordable price
Mass and energy balance analysis of pneumatic dryers for	Federal University of Technology Akure (FUTA), Nigeria	Researchers identified the need to design an efficient	An improved engineering design of pneumatic flash dryer was	Fifty fabricators and engineers from South-West Nigeria were trained	Uptake of the technology will require hands-on practical session for

DDRD PROJECTS	Implementing Institutions	Planning and Scoping of Project. How was the Process Planned or Conceptualized?	Innovation in the use of biomass What is innovation about the process? Number of research products generated	Capacity building /Experimental setup. How was training experimental setup done?	Delivery of project and adoption. How was innovation uptake sustainability?
cassava and development of optimization models to increase competitiveness		pneumatic flash dryer to address inefficiencies in existing models.	designed by the researchers to regulate the heat loss and improve on the quality of HQCF produced. The modification included the introduction of insulation for reduction of heat losses, instrumentation circuit diagram for heat control system, and an efficient two passes heat exchanger system for maximum heat utilization. Study reports and peer reviewed articles are output of the project.	on the design of the improved efficient pneumatic flash dryer.	manufacturers on how to fabricate the improved pneumatic flash dryer model.
Exploring potentials of the bamboo sector for employment and food security in Ethiopia: An institutional	YOM Institute of Economic Development (YIED), Ethiopia	Researcher-led survey	A study reports and peer reviewed articles are outputs of the research study.	Survey of 468 households from two major bamboo growing regional states in Ethiopia – Amhara and	Need to create awareness on the diverse benefit of bamboo, improved methods of growing and extracting culms,

DDRD PROJECTS	Implementing Institutions	Planning and Scoping of Project. How was the Process Planned or Conceptualized?	Innovation in the use of biomass What is innovation about the process? Number of research products generated	Capacity building /Experimental setup. How was training experimental setup done?	Delivery of project and adoption. How was innovation uptake sustainability?
analysis of bamboo-based value web				Benishangul Gumuz.	and adoption of improved technologies.

### Sustainability

There is the need for more cost-effective approaches using a group-based approach with access to microfinance to scale up the adoption of the using cassava peels for mushroom production. Production of bioplastic and biofuels from cassava peel starch is innovative and address a serious environmental problem of plastic pollution. For this innovation to be up scaled, there is the need for an economic feasibility of such production using a pilot scale. Also, there is the need to set-up micro/small scale plants for bio-gel production to ensure lower cost of production and even distribution at affordable prices. The research team from FUTA developed an improved engineering design of pneumatic flash dryer to regulate the heat loss and improve on the quality of HQCF produced. The modification included the introduction of insulation for reduction of heat losses, instrumentation circuit diagram for heat control system, and an efficient two passes heat exchanger system for maximum heat utilization. Uptake of the technology will require hands-on practical session for manufacturers on how to fabricate the improved pneumatic flash dryer model.

These innovations even though identified by researchers addressed needs of the end-users which necessitated the buy-in of the end-users. It must however be noted that even though there was a need for the innovation to address a pressing challenge of the end-users, this was not sufficient.

The adoption and uptake of the innovation depended on the technological and technical support received by the end-users and in some of the project the reliable supply of biomass (plantain, bamboo, cassava). For instance, in the case of bamboo biomass, there is the need to expand bamboo plantation cover in the area and across the livestock growing regions in the country. In the use of plantain biomass, operationalization of the innovation was hindered by the availability of technology and machinery. The end-users needed to have local milling machines and solar drying unit to effectively take up the technology and upscale production of the plantain composite flour. The case of use of cassava biomass required end-users to have a housing structure for the mushroom production (Table 2). In designing of demand-driven research and development projects, the uptake by the end-users is crucial and such technology and infrastructural needs should have been factored into the implementation and funding plan for the full uptake of the technology.

Technical support in the uptake of innovations is also essential in the supply-side of the demand driven research. This was fulfilled by the researchers providing training or education to end-users on the operationalization and processes of the innovations as well as the relevance and benefit of the innovation. However, the decision to take up an innovation largely depends on the innovation itself addressing an economic opportunity or scarcity, knowledge and understanding of the end-user, the end-user's decision to adopt and the end-user confirming and implementing the innovation. Time is a key factor in adoption [11]. Adoption of innovation happens over time. The immediate results on level of uptake of innovation of the demand driven research could therefore not be fully assessed as the projects implementation phase lasted between three to nine months.

#### **Lessons learnt from the DDRD projects.**

1. Innovative thinking such as in the WIAD, University of Ibadan bioplastic and biofuel projects can lead to improved environmental conditions by reducing environmental pollution.

2. Waste should not be allowed to stay idle. Instead we can carefully process it to reduce the environmental externalities, reduce the land area required for its disposal, and add money to our pockets.
3. Adding value to agricultural produce such as plantain can extend the shelf-life of the products, minimize postharvest losses and alleviate poverty.
4. Bamboo has the potential to serve as an alternative feed for livestock farmers especially in the lean season when feed is scarce. This could boost meat production, increase food and nutritional security and alleviate poverty.
5. Uptake of the technology such as improved design of pneumatic flash dryers by the research team from FUTA will require hands-on practical session for manufacturers on how to fabricate the improved pneumatic flash dryer model.
6. Training and dissemination of research findings and output is essential to generate the desired impact and outcome of the projects.
7. DDRD projects have a demonstrated capacity to stimulate national development as they provide solutions to critical environmental and socioeconomic challenges of societies. More of such research is required and better adoption and upscaling mechanisms devised to sustain economy growth in deprived societies of developing countries.

## **Conclusion**

The type of the beneficiary organisation (research organisation and government technical unit) is an important variable to ensuring stakeholder involvement and reporting. The experience implementing the Demand Driven projects (i.e. small grants) generated several research outcomes, perhaps much more than the value of the investments. We observe some significant differences in the level of participation of communities and end-users in the various projects. In the case of WAID, we observe strong community participation (albeit low involvement of women) as well as community/district level extension agencies. In the other DDRD projects (INBAR, FUTA, UI YIED, CSIR), we observe relatively less participation of end users in actual



implementation of the project. These projects were mainly research based enquiry, implemented by researchers from the institutions. Trainings, surveys and dissemination workshops to some extent provided some level of participation for the end users.

There were significant differences in the knowledge products produced from the DDRD projects, more from the research organisations (CSIR, YIED, FUTA, UI and INBAR) compared to the department of the Ministry of Agriculture (WIAD). It is also observed that research institutions often collaborated with other research institutions in implementing the research projects. All the projects embarked on finding innovative way of addressing pressing socio socio-economic and environmental challenges exploring the use of biomass.

In summary,

1. Innovations around the use of biomass was researcher led, funded by donor who demanded on behalf of end-users to address challenges and create opportunity around the use of biomass.
2. Innovation opportunities generated around the use of biomass in addressing challenges of postharvest losses of plantain, income generation from conversion of cassava peels into mushroom production, use of bamboo for livestock feeding in dry season and for promoting food security, production of bioplastics and bio-fuels from cassava peels, and development of improved efficient model of pneumatic flash dryers.
3. However, these innovations were not sufficiently adopted. The adoption/uptake and operationalization depended on the availability of reliable supply of biomass, technological and technical support. Adoption of the innovation around the biomass in the end depends on the end-users understanding the innovation, decision to adopt and adopting the innovation.

**Funding:** This research was funded by German Federal Ministry of Education and Research (BMBF) through the collaborative project “Improving food security in Africa through increased system productivity of biomass-based value webs.” This project is part of the Globe—Research for the Global Food Supply programme (Grant No. 031A258H).

**Conflicts of interest:** The authors declare no conflicts of interest.

## References:

- Adegbite, S. A., Olukunle, O. J., Olalusi, A. P., Adebayo, A., Asiru, W. B. and Awoyale, W. Mass and energy balance analysis of pneumatic dryers for cassava and development of optimization models to increase competitiveness in Nigeria. Technical report (unpublished), FUTA/IITA/FIIRO/FARA 2018.
- Asiru, W. B. Production of bio-gel and bio-plastic from agricultural wastes. Contribution to online BiomassWeb DGroup discussion on demand driven research projects in Africa. June 2018.
- Atikpo, M., Onokpise, O., Abazinge, A., Awumbilla, B. Utilizing seafood waste for the production of mushrooms Proceedings of the Florida academy of Sciences. FAS Abstracts 2006 Meeting. Agric. Sci. (AGR): AGR-10.
- Atikpo, M., Onokpise, O., Abazinge, M., Louime, C., Dzomeku, M., Boateng, L., Awumbilla, B. Sustainable mushroom production in Africa: A case study in Ghana. African journal of biotechnology, **2007**, 7(3), 249-253.
- Bamlaku, A., Loos, T. K., Habtamu, D., and Saurabh, G. Potential of bamboo for employment creation and food security enhancement in Ethiopia. Technical report (unpublished), YIELD/FARA 2018.
- Engler, B., Schoenherr, S., Zhong, Z., Becker, G. Suitability of Bamboo as an Energy Resource: Analysis of Bamboo Combustion Values dependent on the Culm's Age. Internal Journal of Forest Engineering, 2012, 23,114-121.
- FAO and INBAR 2018. Bamboo for land restoration. INBAR policy synthesis report 4. INBAR: Beijing, China.
- Forum for Agricultural Research in Africa FARA. Science agenda for agriculture in Africa (S3A): "Connecting Science" to transform agriculture in Africa. Forum for Agricultural Research in Africa (FARA) Accra, Ghana, 2014.

- Hafiz, F. Begum M, Parveen S, Nessa Z, Azad AKM. Study of edible Mushroom grown on Eucalyptus camaldulensis trunk and under soil of Albizzia procera. *Pakistan Journal of Nutrition*, 2003, 2(5): 279-282.
- International Network for Bamboo and Rattan (INBAR) 2010. Study on utilization of lowland bamboo in Benishangul Gumus region, Ethiopia Beijing 100102, P. R. China.
- Klerks, L., and Leeuwis, C. Institutionalizing end-user demand steering in Agriculture R&D: Farmer levy of R&D in the Netherlands. *Research Policy*, 2008, 37(3): 460-472.
- Klerks, L., and Leeuwis, C. Operationalizing Demand Driven Agricultural Research: Institutional Influences in a Public and Private System of Research Planning in the Netherlands. *The Journal of Agricultural Education and Extension*, **2009**, 15(2), 161-175.
- Kouévi, T. A., and O. A. Fatunbi. Achieving sustainable impact from development projects through multistakeholders innovation platforms: Lessons from Ghana and Rwanda. In *Innovation Conference – Ghana proceedings*, 123-131, 27th-28 September 2016, La Palm Royal Hotel, Accra Ghana.
- Kwapong, N. A. Bamboo for land restoration in Ghana. In *FAO and INBAR 2018. Bamboo forland restoration. INBAR policy synthesis report 4*. INBAR: Beijing, China.
- Lelley JI, Janben A (1993). Interactions between supplementation, fructification surface and productivity of the substrate of *Pleurotus* species. In *Proceedings of the First International Conference on Mushroom Biology and Products 23 - 26 August, 1993*, The Chinese University of Hong Kong, Hong Kong. Edited by Chang S, Buswell J.A, Chiu S, pp. 85-92.
- Mansuri, G., and Rao, V. Community-based and-driven development: A critical review. *The World Bank Research Observer*, 2004, 19(1), 1-39.
- Matila P, Salo-Vaananen P, Kanko Aro H, Jalava T Basis Composition and amino acid contents of Mushrooms cultivated in Finland. *Journal of Agriculture and Food Chemistry*, 2002, 50 (22): 6419-22.

- Nutley S., Davies, H., and Walter, I. Conceptual synthesis 1: learning from the diffusion of innovations. ESRC UK Centre for Evidence Based Policy and Practise; Research Unit for Research Utilization, 2012.
- Partey, S. I. and Kwaku, M. Bamboo leaves as feed supplement to sheep fed a basal diet of Pennisetum purpureum (Hematology and serum biochemical analysis). Technical Report (Unpublished), INBAR/FARA, 2018
- Partey, S. I. and Kwaku, M. Nutritional potential of bamboo leaves for feeding Goats within the Forest transition and Savannah zones of Ghana and the proximate composition. Technical Report (Unpublished), INBAR/FARA, 2018.
- Partey, S. I., Kwaku, M. and Frik, O. B. Perception of Bamboo Leaf as Fodder for Livestock Production in Jeduako in the Dry Semi-Deciduous Zone of Ghana. Technical Report (Unpublished), INBAR/FARA, 2017.
- Raji, A. O., Asiru, W. B., Abass, B., Adefisan, O. O. Production of bioplastics and bio-gels from waste of cassava, maize and banana to promote their BiomassWeb values. Technical report (unpublished), UI/IITA/FIIRO/FARA. 2018.
- Rogers, E. M. Diffusion of Innovations. New York, Free Press, 1995.
- Singhal, P., Satya, S., Sudhakar, P. Antioxidant and Pharmaceutical Potential of Bamboo Leaves. *Journal of the American Bamboo Society*, 2011, 24 (1): 19 -28.
- Tortoe, C., Quaye, W., Akonor, P. T., Buckman, E. S. Improving Food Security in Africa through Increased System Productivity of Biomass-based Value Webs. Technical report (unpublished), CSIR-FRI/FARA, 2017.
- Zenebe M., Adefires W., Temesgen Y., Mehari A., Demel T., and Habtemariam K. Bamboo Resources in Ethiopia: Their value chain and contribution to livelihoods. *Ethno Botany Research and Applications*, 2014.